



# SHARING PHENOTYPES THROUGH PHEKB.ORG

*Public, Private, and Collaborative Phenotype Accessibility*

February 2, 2017

# Accessibility: Public vs Private

What's available Publically?

- Public Phenotype library of published final phenotypes
- Collaboration Phenotype list

What's available Privately?

- Ability to create phenotypes
- Share phenotypes or have phenotypes shared with you\*

*\*Note, logging in to PheKB does not immediately grant you access to private phenotypes. You must be part of the collaborative group associated to that phenotype in order to view.*

# Types of Sharing

- **Public Phenotypes**- Setting the status of a phenotype to “Final” allows the phenotype to be shared [publicly](#) on PheKB.org. Often, these phenotypes have associated publications to them.
- **Private Phenotypes** – Setting the status of a phenotype as “in development,” “testing,” or “validated” allows the phenotype to be shared privately only. Private phenotypes can only be viewed when a user is logged and the phenotype has been shared with the user via a Collaborative (i.e. owner or view) group.
- **Collaboration Phenotypes** – Selecting the “List on the Collaboration Phenotypes List” option allows your phenotype to be publically listed on the [Collaboration Phenotypes page](#). Only the phenotype title, description, and contact information will be made available publicly to other researchers. This will enable researchers to contact Phenotype owners to collaborate on the phenotypes development.

# Private Phenotype Access

- **Owner Group** - The Owner group of a phenotype are members of the authoring group. The Owner group has permissions to edit the phenotype, comment on a phenotype, upload an implementation, and receive any data submission from sites implementing the phenotype.
- **View Group** - The View group of a phenotype are members that can view the phenotype as it's being developed, comment on a phenotype, and upload an implementation (i.e. submit data to the authoring group).